

SAFETY DATA SHEETS

DURA-ANTIQUÉ RELEASE AGENT

SECTION 1: COMPANY AND PRODUCT INFORMATION

Manufacturer's Name / Address:

DURACORP
2560 Jason Court
Oceanside, CA 92056
(760) 758-7240

Trade Name: DURA-Antique Release Agent (AR)

Intended Use: Colored Release Agent

Emergency Phone:
CHEMTREC 800-424-9300

D.O.T. Proper Shipping Name: Dry Cement Color

SECTION 2: COMPOSITION / INGREDIENT INFORMATION

Hazardous Component	OSHA PEL	ACGIH TLV	CAS Number	% (Optional)
Calcium carbonate	15 mg / m ³	10 mg / m ³	1317-65-3	N/A
Nuisance dusts	5 mg / m ³	10 mg / m ³	Mixture	N/A
VOC of Component:	VOC As Applied:			

SECTION 3: HAZARD IDENTIFICATION

Primary Routes of Entry: X Eye X Inhalation X Skin Contact X Ingestion

Overexposure Effects:

Conditions Aggravated by Exposure:

Health Hazards (Acute and Chronic Exposures):

Eyes

May cause irritation, inflammation or abrasion.

Skin Absorption

Prolonged and repeated contact may cause abrading or drying of the skin, which may result in skin irritation or dermatitis.

Inhalation

Prolonged exposure to dust may result in irritation to upper respiratory tract. Chronic lung injury can occur. Acute silicosis may develop in a short time with heavy exposure. Silicosis can be progressive and may cause death.

Ingestion

May cause discomfort if swallowed.

SECTION 4: FIRST AID MEASURES

Emergency and First Aid Procedures:

Eyes:

DO NOT RUB. Hold eyelids open and flush with plenty of water for at least 15 minutes. If irritation persists, GET MEDICAL ATTENTION IMMEDIATELY.

Skin:

Wash with soap and water. Remove contaminated clothing and shoes. Do not reuse until cleaned. If irritation persists, GET MEDICAL ATTENTION IMMEDIATELY.

Inhalation:

Remove to fresh air if effect occurs. Call physician and /or transport to medical facility

SAFETY DATA SHEETS

DURA-ANTIQUÉ RELEASE AGENT

SECTION 4: FIRST AID MEASURES – Cont'd

Ingestion:

Should not cause any significant health problem. If a large amount is ingested, drink large quantities of water and

induce vomiting. GET MEDICAL ATTENTION IMMEDIATELY.

Carcinogenic Data:

NTP: None

OSHA: None

IARC: None

SECTION 5: FIRE FIGHTING MEASURES

Flash Point (°C): None
Conditions of Flammability: None
Flammable Limits: LEL: N/A UEL: N/A

Autoignition Temperature (°C): None
Hazardous Combustion Products: NE
Sensitivity to Impact: NE
Sensitivity to Static Discharge: None
Extinguishing Media: Product is not flammable. Use standard fire-fighting procedures without regard to product.

Special Firefighting Procedures: N/A
Unusual Fire and Explosion Hazards: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURE

Steps to be Taken in Case of Material Release or Spillage: Shut off and eliminate all ignition sources. Keep people away. Vacuum, scoop, or broom-up spilled powders and place in containers. Avoid generation, exposure, and inhalation of dust. Collect spilled powders, place in non-leaking containers, seal tightly, and label properly.

SECTION 7: HANDLING AND STORAGE

General: Prevent all skin contact.
Avoid breathing dust.
Re-seal partially used containers.
Store under cool, dry conditions and away from open flames and high temperatures.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use only with ventilation sufficient to prevent exceeding recommended exposure limit or build-up to dust in air.
Respiratory Protection: All personnel must wear OSHA-NIOSH approved dust respirators when working with or near this product. Please refer to OSHA standards in 29 CFR 1910.134.
Protective Gloves: Wear impervious gloves: latex, neoprene or rubber.
Eye Protection: Wear proper eye protection when working with or around this product.
Other protective Equipment: Clean, body-covering clothes. Further safety equipment (apron, footwear, etc.) should be used as necessary to prevent contact with material.

SAFETY DATA SHEETS

DURA-ANTIQUÉ RELEASE AGENT

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (°C):	N/A	Specific Gravity:	Approximately 3
Vapor Pressure:	N/A	Melting Point:	N/A
Vapor Density: (Air = 1)	N/A	Evaporation Rate: (Butyl Acetate = 1)	N/A
Solubility in Water:	Negligible	PH:	N/A
Freezing Point	N/A		
Coefficient of Oil/Water Distribution:		N/A	
Appearance and Odor:		Dry colored powder	

SECTION 10: STABILITY AND REACTIVITY DATA

Chemical Stability: X Stable Unstable
Conditions to Avoid: None
Incompatibility (Materials to Avoid) : Avoid contact with organic and inorganic acids.
Hazardous Decomposition Products: Reacts with acid to form carbon dioxide gas.
Hazardous Polymerization (Reactivity) : May Occur X Will Not Occur

SECTION 11: TOXICOLOGICAL INFORMATION

N/A

SECTION 12: ECOLOGICAL INFORMATION

N/A

SECTION 13: DISPOSAL CONSIDERATION

Waste Disposal Methods: Dispose of waste in accordance with federal, state and local regulations

Vacuum, scoop, or broom-up spilled powders and place in containers. Avoid generation, exposure, and inhalation of dust. Collect spilled powders, place in non-leaking containers, seal tightly, and label properly.

SECTION 14: TRANSPORT INFORMATION

DOT Proper Shipping Name: Dry Cement Color
Hazard Class: Class 55 Non-hazardous
UN Number: Not required

SAFETY DATA SHEETS

DURA-ANTIQUÉ RELEASE AGENT

SECTION 15: REGULATORY INFORMATION

Health: 2 Flammability: 0 Reactivity: 0

California Proposition 65: Below is a list of compounds known to the State of California to cause cancer, birth defects, or other reproductive harm:
None

Federal Warning: Section 313 Supplier Notification – product contains the toxic chemical(s) subject to the reporting requirements of SARA TITLE III, Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372

SECTION 16: OTHER INFORMATION

Initial Issue Date: July 5, 2006 Revision Date: June 6, 2013 Prepared By: L. ANDERSON

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. PROLINE Dura-Corp accepts no responsibility and disclaims all liability for any harmful effects, which may be caused by exposure to our products. Customers and users of this product must comply with all applicable health and safety laws, regulations and orders.

(NA = Not Applicable) (NE = Not Established) (ND = No Data) (NR = Not Required)